

Trailer Range 2017-18



meredithandeyre.co.uk



TRAILERS • AXLES • CHASSIS



Based in the North West, near Manchester, Meredith and Eyre Trailers and Chassis are sold throughout the world.

We also supply Running Gear Components to many trailer and machinery manufacturers.

MEG5064R
500kg



MEG1584R
1500kg



MEG1584
1500kg



MEG7564T
750kg



MEG2784
2700kg



MEG7564TRM
750kg



Available with Ramp Gas Assist and Multi-volt LED lights.

Unbraked Trailers

	MAXIMUM WEIGHT Kg	UNLADEN WEIGHT Kg	BODY LENGTH mm	BODY WIDTH mm	HEIGHT of SIDES mm	LOADING HEIGHT mm	TYRE SIZE
MEG5064S	500	160	1980	1220	305	400	145 R 10 74N
MEG5064SR	500	175	1980	1220	305	400	145 R 10 74N
MEG7564T	750	175	1980	1220	305	400	145/70 R 13 78N
MEG7564TR	750	190	1980	1220	305	400	145/70 R 13 78N
MEG7564W	750	175	1980	1220	305	400	20.5 x 10 76M
MRG7564WR	750	190	1980	1220	305	400	20.5 x 10 76M

OPTIONS: (Weight)	WELD MESH SIDES (with Ramp) (55kg)	CAST BALL HEAD with LOCK (4kg)	TELESCOPIC JOCKEY WHEEL (5kg)	ALUMINIUM FLOOR (14kg)
	WELD MESH SIDES (with Tailgate) (65kg)	REAR PROP STANDS (Pair) (4kg)	RECESSED LASHING RINGS	LED LIGHTS
	LADDER RACK (14kg)	WINCH		

Goods Trailers

	MAXIMUM WEIGHT Kg	UNLADEN WEIGHT Kg	BODY LENGTH mm	BODY WIDTH mm	HEIGHT of SIDES mm	LOADING HEIGHT mm	TYRE SIZE
MEG1584	1500	350	2475	1250	270	440	185/70 R 13 106N
MEG1584R	1500	390	2475	1250	270	440	185/70 R 13 106N
MEG1884	1800	425	2475	1250	270	440	155 R 13 84N
MEG1884R	1800	465	2475	1250	270	440	155 R 13 84N
MEG2784	2700	450	2475	1250	270	440	165 R 13 96N
MEG2784R	2700	490	2475	1250	270	440	165 R 13 96N

OPTIONS: (Weight)	WELD MESH SIDES (with Ramp) (85kg)	40mm TOWING EYE	ALUMINIUM FLOOR (17kg)	LADDER RACK (17kg)
	WELD MESH SIDES (with Tailgate) (105kg)	REAR PROP STANDS (Pair) (6kg)		LED LIGHTS
	POWER ASSIST RAMP (5kg)	WINCH	RECESSED LASHING RINGS	

MEF35105
3500kg



MEF35105SAR
3500kg



Optional Steel Sides
and Pull Out Skids in
Steel or Aluminium.

MEF35166TRI
3500kg



MEF30126
3000kg



16 Series Flat Bed Trailers

	MAXIMUM WEIGHT Kg	UNLADEN WEIGHT Kg	BODY LENGTH mm	BODY WIDTH mm	HEIGHT of SIDES mm	LOADING HEIGHT mm	TYRE SIZE
MEF20850	2000	443	2440	1680	380	625	5.00 x 10 84M
MEF27850	2700	479	2440	1680	380	625	195/50 R 13 104N
MEF30850	3000	483	2440	1680	380	625	195/50 R 13 104N
MEF35850	3500	546	2440	1680	380	625	195/50 R 13 104N
MEF20105	2000	489	3065	1680	380	625	5.00 x 10 84M
MEF27105	2700	524	3065	1680	380	625	195/50 R 13 104N
MEF30105	3000	528	3065	1680	380	625	195/50 R 13 104N
MEF35105	3500	591	3065	1680	380	625	195/50 R 13 104N

OPTIONS: (Weight)	HEADBOARD (30kg)	WELD MESH SIDE EXTENSIONS (8' 125kg 10' 135kg)	ALUMINIUM FLOOR (8' 23kg 10' 29kg)
	HEADBOARD, SIDES & TAILGATE (8' 93kg 10' 133kg)		LADDER RACK (21kg)
	2440mm (8') STEEL SKIDS (84kg)	SPRING ASSISTED RAMP (128kg)	PROP STANDS (4kg)
	2440mm (8') ALUMINIUM SKIDS (34kg)	WINCH	LED LIGHTS
	RECESSED LASHING RINGS		

20 Series Flat Bed Trailers

	MAXIMUM WEIGHT Kg	UNLADEN WEIGHT Kg	BODY LENGTH mm	BODY WIDTH mm	HEIGHT of SIDES mm	LOADING HEIGHT mm	TYRE SIZE
MEF27126	2700	606	3660	1990	380	625	195/50 R 13 104N
MEF30126	3000	610	3660	1990	380	625	195/50 R 13 104N
MEF35126	3500	680	3660	1990	380	625	195/50 R 13 104N
MEF27146	2700	682	4290	1990	380	625	195/50 R 13 104N
MEF30146	3000	686	4290	1990	380	625	195/50 R 13 104N
MEF35146	3500	756	4290	1990	380	625	195/50 R 13 104N
MEF35146T	3500	780	4290	1990	380	625	195/50 R 13 104N
MEF30166	3000	730	4860	1990	380	625	195/50 R 13 104N
MEF35166	3500	800	4860	1990	380	625	195/50 R 13 104N
MEF35166T	3500	824	4860	1990	380	625	195/50 R 13 104N

OPTIONS: (Weight)	HEADBOARD (35kg)	WELD MESH SIDE EXTENSIONS (12' 145kg 14' 170kg 16' 185kg)	
	HEADBOARD, SIDES & TAILGATE (12' 130kg, 14' 155kg 16' 180kg)	ALUMINIUM FLOOR (12' 41kg 14' 48kg 16' 55kg)	LADDER RACK (25kg)
	2440mm (8') STEEL SKIDS (84kg)	SPRING ASSISTED RAMP (138kg)	PROP STANDS (4kg)
	2440mm (8') ALUMINIUM SKIDS (34kg)	WINCH	LED LIGHTS
	RECESSED LASHING RINGS		



MEP2784
2700kg



MEP35106
3500kg



MEP35106FWR
3500kg




Chassis with Generator
Single Axle 1000-2000kg

Single Axle
Single Axle 1000-2000kg



Tandem Axle
Tandem Axle 2000-3500kg



Rolling Chassis are available in 3 concepts: Single purpose, Multi purpose and Adjustable, depending on the design and quantity required.

Contact our Sales Team for more details.

Plant Trailers

	MAXIMUM WEIGHT Kg	UNLADEN WEIGHT Kg	BODY LENGTH mm	BODY WIDTH mm	HEIGHT of SIDES mm	LOADING HEIGHT mm	TYRE SIZE
MEP2784	2700	550	2475	1250	270	440	165 R 13 96N
MEP35106	3500	770	3065	1800	270	470	185/70 R 13 106N
MEP35106FWR	3500	810	3065	1800	270	470	185/70 R 13 106N


OPTIONS: (Weight)	WELD MESH SIDES (MEP2784) (85kg)	40mm TOWING EYE	RECESSED LASHING RINGS	LED LIGHTS
	POWER ASSIST KIT (MEP2784) (5kg)	ALUMINIUM FLOOR (2784: 17kg 35106: 32kg)		

Rolling Chassis

	MAXIMUM WEIGHT Kg	UNLADEN WEIGHT Kg	BODY LENGTH mm	BODY WIDTH mm	LOADING HEIGHT mm
SINGLE AXLE	1000 - 2000	250 - 350	2000 - 3000	900 - 1500	500 - 600
TANDEM AXLE	2000 - 3500	360 - 600	2300 - 4000	900 - 1500	500 - 600



MET35105
3500kg



MTB3516
3500kg



MTB3516
3500kg

Tilt Bed Trailers

	MAXIMUM WEIGHT Kg	UNLADEN WEIGHT Kg	BODY LENGTH mm	BODY WIDTH mm	HEIGHT of SIDES mm	LOADING ANGLE (Degrees)	TYRE SIZE
MTB3516T2	3500	935	5064	1992	380	12	195/50 R 13 104N
MTB3516S2	3500	870	5064	1992	380	12	195/50 R 13 104N

OPTIONS: (Weight)	HEADBOARD (35kg)		40mm TOWING EYE				
	HEADBOARD, SIDES & TAILGATE (136kg)		WELD MESH SIDE EXTENSIONS (with Ramp) (158kg)				
	LED LIGHTS	WINCH	EXTRA PAIR OF SKIDS				

Tipper Trailers

	MAXIMUM WEIGHT Kg	UNLADEN WEIGHT Kg	BODY LENGTH mm	BODY WIDTH mm	HEIGHT of SIDES mm	LOADING HEIGHT mm	TYRE SIZE
MET35105	3500	980	3065	1680	380	730	195/50 R 13 104N

OPTIONS: (Weight)	2440mm (8') STEEL SKIDS (84kg)		PROP STANDS (2kg)	40mm TOWING EYE
	2440mm (8') ALUMINIUM SKIDS (34kg)		WELD MESH SIDE EXTENSIONS (135kg)	
	WINCH	LADDER RACK (21kg)	LED LIGHTS	RECESSED LASHING RINGS